Safety Data Sheet AUNDUVC-UND100 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ing to Federal Register / Vol. /7, No. 58 / Monday, March 26, 2012 / Rules and Regulations issue: 06/08/2015 Version: 1.0
SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: un-du Sticker, Tape & Label Remover VOC Compliant
Product code	: AUNDUVC-032-001
1.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
1.3. Details of the supplier of the safet	y data sheet
Un-du Inc 7600 West 27th Street Suite B9	
St Louis Park, MN 55426 - USA T 952-929-9300	
1.4. Emergency telephone number	
Emergency number	: Chemtrec - 800-424-9300
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Flam. Liq. 2 Skin Irrit. 2	H225 H315
Asp. Tox. 1	H304
Full text of H-phrases: see section 16	
2.2. Label elements GHS-US labeling	
Hazard pictograms (GHS-US)	HS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H304 - May be fatal if swallowed and enters airways H315 - Causes skin irritation
Precautionary statements (GHS-US)	<ul> <li>P210 - Keep away from heat, hot surfaces, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical/ventilating/lighting/ equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash clothing, hands, forearms and face thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - If swallowed: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of water/ P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P331 - Do NOT induce vomiting P332+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P370+P378 - In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool P405 - Store locked up P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation</li> </ul>

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
<b>SECTION 3: Composition/information</b>	on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Naphtha (Petroleum), Hydrotreated Light	(CAS No) 64742-49-0	10 - 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Full text of H-phrases: see section 16			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Never give anything by mouth advice (show the label where p		ou feel unwell, seek medical
First-aid measures after inhalation	: Allow victim to breathe fresh ai	r. Allow the victim to rest.	
First-aid measures after skin contact	: Rinse skin with water/shower. with plenty of soap and water. occurs: Get medical advice/att	Wash contaminated clothing b	
First-aid measures after eye contact	: Rinse immediately with plenty persist.	of water. Obtain medical atten	tion if pain, blinking or redness
First-aid measures after ingestion	: Rinse mouth. Do NOT induce	vomiting. Immediately call a po	bison center or doctor/physician.
4.2. Most important symptoms and effects	s, both acute and delayed		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after ingestion	: May be fatal if swallowed and	enters airways.	
4.3. Indication of any immediate medical a	attention and special treatment	needed	
No additional information available			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Foam. Dry powder. Carbon die	oxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream	am.	
5.2. Special hazards arising from the sub-	stance or mixture		
Fire hazard	: Highly flammable liquid and va	por.	
Explosion hazard	: May form flammable/explosive	vapor-air mixture.	
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cool	ing exposed containers. Exerc	cise caution when fighting any
	chemical fire. Prevent fire-fight	ing water from entering enviro	nment.
Protection during firefighting	: Do not enter fire area without p	proper protective equipment, ir	ncluding respiratory protection.
SECTION 6: Accidental release meas			
6.1. Personal precautions, protective equ	ipment and emergency proced	ures	
General measures	: Remove ignition sources. Use smoking.	special care to avoid static ele	ectric charges. No open flames. No
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary person	nel.	
6.1.2. For emergency responders			
	: Equip cleanup crew with prope	r protection.	
Emergency procedures	: Ventilate area.		
06/09/2015	EN (English US)	SDS ID: AUNDUVC-U	ND100 2/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

-	-	
6.2.	Environmental precautions	
Prevent	entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3.	Methods and material for containment and cleaning up	
Methods	for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4.	Reference to other sections	
See Hea	ding 8. Exposure controls and personal p	rotection.
SECTI	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Additiona	al hazards when processed	: Handle empty containers with care because residual vapors are flammable.
Precautio	ons for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Use only non-sparking tools.
Hygiene	measures	: Wash thoroughly after handling.
7.2.	Conditions for safe storage, including	g any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep in fireproof place. Keep container tightly closed.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

```
No additional information available
```

	ontrols/personal protection
8.1. Control parameters	
un-du Sticker, Tape & Label	•
ACGIH	Not applicable
OSHA	Not applicable
Naphtha (Petroleum), Hydrot	treated Light (64742-49-0)
ACGIH	Not applicable
OSHA	Not applicable
8.2. Exposure controls	
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear respiratory protection.
Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical an	d chamical proportios

9.1. Information on basic	physical and chemical properties
Physical state	: Liquid
Color	: Colorless
Odor	: characteristic
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 208 °F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flash point	: 16 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.9
Solubility	: Water: Solubility in water of component(s) of the mixture : • : < 0.01 g/100ml
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: 0.49 cSt
Viscosity, dynamic	: No data available
0.0 Other information	

### 9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Highly flammable liquid and vapor. May form flammable/explosive vapor-air mixture.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures. Open flame.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products
fume. Carbon monoxide. Carbon dioxide. May release flammable gases.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
Acute toxicity : Not classified

Naphtha (Petroleum), Hydrotreated Light (64742-49-0) > 5840 mg/kg LD50 oral rat LD50 dermal rat > 2920 mg/kg LC50 inhalation rat (ppm) > 23.3 ppm Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation Not classified · Respiratory or skin sensitization Not classified · Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

**12.1. Toxicity** No additional information available

12.2. Persistence and degradability		
un-du Sticker, Tape & Label Remover VOC Compliant		
Persistence and degradability	Not established.	
	·	
12.3. Bioaccumulative potential		
un-du Sticker, Tape & Label Remover VOC Co	ompliant	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Effect on the global warming	No known ecological damage caused by this product.	
Other information :	: Avoid release to the environment.	

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

: UN1206 Heptanes (Solution), 3, II
: UN1206
: Heptanes
Solution
: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
: 3 - Flammable liquid
: II - Medium Danger
: 202
: 242

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. //, No. 58 / Monday, N	viarch 26, 2012 / Rules and Regulations	
DOT Special Provisions (49 CFR 172.102)	<ul> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150	
	: 5L	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.	
Additional information		
Other information	: No supplementary information available.	
ADR No additional information available Transport by sea No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Naphtha (Petroleum), Hydrotreated Light (64742-49-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. International regulations		
CANADA No additional information available		
EU-Regulations No additional information available		
Classification according to Regulation (EC) No. 1272/2008 [CLP] No additional information available		
Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified		
National regulations No additional information available		
No additional information available		
No additional information available 15.3. US State regulations		
No additional information available	: None.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:	
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

#### SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product