
## ULINE

## VACUUM GUIDE


	DEWALT			DEWAL
WET/DRY VACUUMS	Portable DeWalt® H-8901	DeWalt <sup>®</sup> H-8902	DeWalt <sup>®</sup> H-8903	Stainless Steel DeWalt® H-8931
Vendor Model No.	DXV04T	DXV12P	DXV16PA	DXV10SB
Bag or Bagless	Disposable Bag	Disposable Bag	Disposable Bag	Disposable Bag
Capacity (Gallons)	4	12	16	10
Airflow/CFM (Cubic Feet per Minute)	90	105	116	110
Sealed Pressure	50"	70"	73"	72"
Peak Horsepower	5.0	5.5	6.5	6.5
Path Width	Up to 6.5"	Up to 14"	Up to 14"	Up to 10"
Cord Length	20'	20'	20'	20'
Unit Weight (lbs.)	15	25	34	25
Filter Options	Standard, High Efficiency or HEPA	Standard, High Efficiency or HEPA	Standard, High Efficiency or HEPA	Standard, High Efficiency or HEPA
Accessories	5 Hose, Crevice Tool, 2 Extension Wands, Utility Nozzle	7 Hose, 2 Extension Wands, Floor Brush, Crevice Tool, Utility Nozzle, Round Brush	9 Hose, 2 Extension Wands, Floor Brush, Crevice Tool, Utility Nozzle, Round Brush, Muffler, Garden Hose Adapter	7 Hose, 2 Extension Wands, Floor Brush, Crevice Tool, Utility Nozzle, Round Brush











PAGE 6 OF 6 ©2023 Uline